


Wireless Power Track Quotation Sheet (Economical-A Version)

Display



目录

CONTENTS



- P品特点 Features
- Product Size
- Product details
- **04.** 连接方式 Connection
- **05.** 场景应用 Application



Features




Double side



Sigle side

- . The conductor is made of high quality brass, which can be switched between single and double-sided guide rails;
- . Hidden guide rail power system, the overall effect is more beautiful;
- . Electric head using spring shrapnel, reliable contact firm, can be too large current;
- . With unique rotating clip, convenient and reliable electrical connection;
- . A variety of sizes of guide rail support, to meet most of the conventional column on the market;
- . Elastic support, installed in the column guide rail firm not loose;
- . Suitable for a variety of shelves, high-grade display rack;








Product - construction


零件号	零件名称
1	立柱导电轨 Power Track
2	连接支架 Spacer
3	导轨堵头 Rail plug
4	货架立柱 Shelf Upright post
5	取电头 Connector
6	托臂 Arm





Spacer


Racks of different sizes can be assembled by changing the middle connector






Connector










ARM













Connection







Application








Application







Welcome for Inquiry and Sample Testing Small Quantity Samples Stock Available

GM LED LIGHTING

+90 546 256 30 60 fatih@gmled.com.tr www.gmled.com.tr

Akçaburgaz Mah. Hadımköy Yolu Cad. No:186/1 34538 Esenyurt, İstanbul, Türkiye